



A service of the National Library of Medicine and the National Institutes of Health

My NCBI 2 [Sign In] [Register]

w.pubmed.gov All Databases PubMed Nucleotide Protein Genome **PMC** Structure **OMIM** Journals Books Search PubMed for submicron implant webster **Preview** Clear Go History Clipboard • Search History will be lost after eight hours of inactivity. **About Entrez** Search numbers may not be continuous; all searches are represented. To save search indefinitely, click query # and select Save in My NCBI. **Text Version** • To combine searches use #search, e.g., #2 AND #3 or click query # for more options.

Entrez PubMed
Overview
Help | FAQ
Tutorials
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources Order Documents NLM Mobile NLM Catalog NLM Gateway TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Search	Most Recent Queries	Time	Result
<u>#4</u> Se	earch submicron implant webster	09:19:50	<u>1</u>
<u>#3</u> Se	earch submicron implant	09:18:18	<u>29</u>
<u>#2</u> S€	earch submicron implant polymer	09:17:35	<u>15</u>
<u>#1</u> Se	earch nano implant polymer	09:14:57	14

Clear History

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer

Apr 30 2007 04:56:27

5

10

15

20

25

3220-73239

- 27 -

Ovine bladder smooth muscle cell morphology and adhesion on coverslips coated with or without proteins. Thirty minutes prior to cell seeding, serum free DMBM and DMEM supplemented with 10% FBS and 1% P/S were placed onto the protein coated substrates and reference substrates, respectively.

Bladder smooth muscle cells were enzymatically lifted from polystyrene tissue culture dishes using 1 ml of PET and resuspended in serum free DMEM. Cells were seeded (3,500 cells/cm²) onto each substrate and incubated under standard cell culture conditions for 4 h.

At the end of each time period, non-adherent cells were removed by gentle rinsing in PBS. Cells adherent to the substrates were fixed with 10% formalin, stained with Coomassie Brilliant Blue for 10 minutes, and rinsed with PBS. Cell morphology was examined using light microscopy (Nikon Microphot-FXA; Nikon, Japan) and digital imaging (Flashbus FBG 4.2; Integral Technologies, Inc.). In addition, the number of cells in each of five random fields per substrate were counted using light microscopy (Olympus CR2; Olympus, Germany), averaged, and reported as cell density (cells/cm²). All experiments were run in triplicate and repeated a minimum of three separate times.

Bladder smooth muscle cells adherent on glass coverslips coated with collagen type IV in the presence of serum free DMEM exhibited superior spread morphology compared to those adherent on glass coverslips coated with vitronectin and collagen type III, which exhibited superior morphology to those adherent on the albumin-coated control coverslips.

In addition, collagen type IV enhanced bladder smooth muscle cell adhesion compared to the albumin control coverslips. Cell adhesion was significantly (p < 0.05) increased on coverslips coated with gelatin, fibronectin, vitronectin, laminin, and collagen type I, and was significantly (p < 0.01) increased on glass coverslips coated with collagen type IV, after 4 h of incubation. The adherent cell density on glass coverslips coated with collagen type IV was 762%, 324%, 148%, 132%, 96%, 86%, and 58% higher than on glass coverslips coated with laminin, collagen type I, albumin, fibronectin, collagen type III, vitronectin, and gelatin, respectively.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6030635".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 07:52
L2	214603	"6030635"".pn.and" gelatin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 07:52
L3	0	"6030635".pn. and gelatin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 07:53
L4	2	"20030143283".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 07:55
L5	2	"20020173033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:02
L6	2	"6344367".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 08:02
L7	2	"6689374".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 08:02
L8	652542	(nanosized or nano) ith implant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:02
L9	192	(nanosized or nano) with implant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:02
L10	9	(nanosized or nano) with implant with film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:04
L11	43541	polylactic or polyglycolic or polyetherurethane or polycaprolactone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:05
L12	22	19 and I11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:05

EAST Search History

			-			
L13	20	cell and I12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ,	ON	2007/05/23 09:11
L14	2	"6270347".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:18
L15	1065	(submicron or nano or nanosized) same implant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:20
L16	267064	l11 an dl15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:20
L17	170	l11 and l15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:20
L18	35621	cell and 116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:20
L19	163	cell and I17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/05/23 09:21

5/23/07 9:51:07 AM